



### CITY OF MANCHESTER, NEW HAMPSHIRE

# INDUSTRIAL PRETREATMENT PROGRAM ANNUAL REPORT

JUNE 1, 2018 THROUGH MAY 31, 2019

Prepared by:
Department of Public Works/ Environmental Protection Division
Christopher J. Crowley

Kevin A. Sheppard, P.E. Public Works Director

Timothy J. Clougherty Deputy Public Works Director

Frederick J. McNeill, P.E. Chief Engineer



Commission
Toni Pappas
Patrick Robinson
James Burkush
Trixie Vazquez
Armand Forest

#### **CITY OF MANCHESTER**

Department of Public Works Environmental Protection Division

July 30, 2019

No. 19-36-MO

Justin Pimpare EPA New England 5 Post Office Square Suite 100 OEP 06-3 Boston, MA 02109-3912

Dear Mr. Pimpare,

On behalf of the City of Manchester, Environmental Protection Division (EPD), I am submitting the 2018/2019 Annual Industrial Pretreatment Program (IPP) Report. The report summarizes the activities of the IPP and the status of all permitted Significant Industrial Users that discharged to the facility from June 1, 2018 to May 31, 2019. Also, included is EPA's revised Compliance Status Work Sheet and the 2018/2019 annual report for the Town of Londonderry, New Hampshire.

In addition to the IPP activities, this report also details sampling results for the Wastewater Treatment Plant's Influent, Effluent, and Sludge, as required in Section Five Appendices F, G, and H.

If you have any questions regarding this report, please contact me at (603) 624-6513.

Sincerely,

Christopher J. Crowley Pretreatment Supervisor

Copy / Enclosure:

Alexis Rastorguyeff, P.E., SE III, NHDES, Concord, NH Kevin A. Sheppard, P.E., Public Works Director Frederick J. McNeill, P.E., Chief Engineer Robert Robinson, P.E., Plant Superintendent Jeremy Bouvier, P.E., Environmental Permits Coordinator Kevin A. Sheppard, P.E. Public Works Director

Timothy J. Clougherty Deputy Public Works Director

Frederick J. McNeill, P.E. Chief Engineer



Commission
Toni Pappas
Patrick Robinson
James Burkush
Trixie Vazquez
Armand Forest

#### **CITY OF MANCHESTER**

Department of Public Works Environmental Protection Division

July 30, 2019

No. 19-37-MO

Alexis Rastorguyeff, PE, SE III NHDES, Industrial Pretreatment Supervisor Wastewater Engineering Bureau 29 Hazen Drive, PO Box 95 Concord, NH 03302-0095

Dear Mr. Rastorguyeff,

On behalf of the City of Manchester, Environmental Protection Division (EPD), I am submitting the 2018/2019 Annual Industrial Pretreatment Program (IPP) Report. The report summarizes the activities of the IPP and the status of all permitted Significant Industrial Users that discharged to the facility from June 1, 2018 to May 31, 2019. Also attached is the annual report for the Town of Londonderry, New Hampshire.

If you have any questions regarding this report, please contact me at (603) 624-6513.

Sincerely,

Christopher J. Crowley Pretreatment Supervisor

Copy / Enclosure:

Jay Pimpare, EPA, Region 1 Pretreatment Coordinator Kevin A. Sheppard, P.E., Public Works Director

Frederick J. McNeill, P.E., Chief Engineer

Robert J. Robinson, P.E., Plant Superintendent

Jeremy Bouvier, P.E., Environmental Permits Coordinator

#### EPA Region 1-Annual Pretreatment Report Summary Sheet June 1, 2018 to May 31, 2019

City of Manchester, NH. I	Environmental Protection Division EPD
NPDES Permit #: NH0100447	
Pretreatment Report Period Start Date: Jun	ne 1, 2018
Pretreatment Report Period End Date: Ma	ay 31, 2019
# of Significant Industrial Users (SIUs):	16
# of SIUs Without Control Mechanisms:	0
# of SIUs not Inspected:	0
# of SIUs not Sampled:	0
# of SIUs in Significant Noncompliance (SNC) with Pretreatment Standards:	1
# of SIUs in SNC with Reporting Requirements:	1
# of SIUs in SNC with Pretreatment Compliance Schedule:	0
# of SIUs in SNC Published in Newspaper:	1
# of SIUs with Compliance Schedules:	0
# of Violation Notices Issued to SIUs:	1
# of Administrative Orders Issued to SIUs:	0
# of Civil Suits Filed Against SIUs:	0
# of Criminal Suits Filed Against SIUs:	0
# of Categorical Industrial Users (CIUs):	5
# of CIUs in SNC:	0

#### Penalties

Total Dollar Amount of Penalties Collected

\$ 0

# of IUs from which Penalties have been collected:

0

#### Local Limits

Date of Most Recent Technical Evaluation of Local Limits:

9/25/2015- Part of NPDES Permit Review Process

Date of Most Recent Adoption of Technically Based Local Limits:

August 5, 1997

#### **Local Limits**

Below is listed the maximum concentrations of chemicals allowed in the effluent discharge of any Manchester industry, commercial, business or residential establishment.

Design Plant Flow 34 MGD

Pollutant / Limit (mg/l)

MAHL (lb/day)

 0	1 5	P	/1
Copper	-47	> mc	7/

- Cyanide (total) 2.86 mg/l
- Lead 0.94 mg/l
- Mercury 0.023 mg/l
- Silver 0.90 mg/1
- Zinc 10.42 mg/l

- 1,290.26 lb/day
- 810.98 lb/day
- 266.55 lb/day
- 6.52 lb/day
- 255.20 lb/day
- 2,954.69 lb/day

#### Screening Levels

Below is a list of acceptable maximum concentrations for certain chemicals. If one of these levels is exceeded by any industry, commercial establishment, business or residential unit then the situation causing the excess contaminant will be reviewed by EPD's monitoring staff. A permit will be issued that reflects the negotiated allowable discharge concentration for that particular parameter. Certain current permits have limits that are above these screening limits, but other safeguards are written into these specific individual permits to offset the increased pollutant discharge.

•	Benzene - 0.13 mg/l	-	36.86	lb/day
	BOD - 350 mg/l	141	99,246.00	lb/day
•	Carbon Disulfide - 0.06 mg/l	-	17.01	lb/day
	Chlorine - 1,500 mg/l	- 4	25,340.00	lb/day
•	Chloroform - 0.41 mg/l		116.26	lb/day
•	1,2 Dicholorethylene - 0.28 mg/l	-	79.40	lb/day
	Sulfide - 1.0 mg/l	-	283.56	lb/day
	Sulfate - 150 mg/l		42,534.00	lb/day
	Sulfate - 1,500 mg/l (for type II concrete structures)	- 4	125,340.00	lb/day
•	Sulfite - 280 mg/l		79,396.80	lb/day
•	Suspended Solids - 350 mg/l	-	99,246.00	lb/day
	Tetrachloroethylene - 0.53 mg/l	2	150.28	lb/day
	1,1,1 trichloroethane - 1.55 mg/l	2	439.52	lb/day
•	Trichloroethene - 0.71 mg/l	-	201.33	lb/day
•	Oil & Grease - 100 mg/l (Petroleum or mineral origin, Method 1664 HEM/SGT)		28,356.00	lb/day
•	Oil & Grease - 350 mg/l (Animal & vegetable origin, Method 1664 HEM)		99,246.00	100

#### **Information Required By EPA**

#### **Section One**

An updated list of all industrial users by category, as set forth in 40 CFR 403.8(f)(2)(i), indicating compliance or noncompliance with the following:

#### Part 1 - 1 Compliance with Baseline Monitoring Requirements and 90-Day Compliance Reports for Newly Promulgated Industries.

There were no 90-day Compliance Reports required during the monitoring period of June 1, 2018 through May 31, 2019. However, The City of Manchester, Environmental Protection Division (EPD) does require all Class I Industries that are renewing their discharge permits to submit a sampling report including several more parameters to be tested with their permit application.

Included at the end of this section is *Appendix A*, which lists all Class I Industrial Users (CIUs / SIUs). The worksheet includes the following: permitted average flows, category, and type of pretreatment and permit expiration date. Also included is *Appendix B* which lists the Class II's and *Appendix C* which lists the Class III Industrial Users.

#### Part 1 - 2 Compliance Status Reporting Requirements for Newly Promulgated Industries.

All Industries that are subject to monitoring requirements are up to date with their responsibilities. EPD issued no new permit(s) for the Significant Industrial User Classification I (SIU's) during the reporting period of June 1, 2018 through May 31, 2019.

#### Part 1 - 3 Periodic (Semi-Annual) Monitoring Reporting Requirements.

The Class I listing at the end of Section One *Appendix D* is EPD Industrial Inspection & Sampling worksheet which tracks and verifies compliance. All the Class I CIUs / SIUs are listed on this sheet. The list contains the name and category of each industry, permit number, and the permit expiration date. The names and dates are summarized on Page 4, Part 2-3, Summary of Compliance and Enforcement Activities for Compliance Schedules Issued.

#### Part 1 - 4 Compliance with Categorical Standards.

There were no industries that violated their categorical limits for the reporting period of June 1, 2018 through May 31, 2019. All sampling reports are documented in the City's LINKO database.

#### Part 1 - 5 Compliance with Local Limits

The City is pleased to announce that there were no compliance issues with Local Limits during the reporting period of June 1, 2018 through May 31, 2019.

As noted in the past, the City has had several compliance issues with Local Limits for *Screening BOD levels* with one of our highest industrial users. NYCOA has taken a different approach and implemented a BOD reduction program within their facility and with an improved method of operating their Capro recovery system. NYCOA reduced their waste discharges over 80% which aided in the reduction of BOD slugs.

# June 1, 2019 - May 31, 2020 City of Manchester, NH Annual IPP Report

# APPENDIX - A

Class I / Significant Industrial Users

June 1, 2019 - May 31, 2020	0707		Class I / Significant Industria	it industria	u Users			
Type of Business	Facility Name	Permit No.	Location	Avg. Flow GPD	CFR	Company Representative	Pretreatment	Permit Expires
Cleaning Services								
1)	Cintas Corporation	1065	324 Taylor Street	38,500		Robert Hippert		4/30/2020
2)	Cintas Corporation	1066	324 Taylor Street	13,700		Robert Hippert	DAF	4/30/2020
3)	E&R Cleaners	1068	80 Ross Ave	70,600		James McCool		8/31/2020
4)	Sterling Laundry	1004	39 Beech Street	95,000		Glen Stevens		1/31/2022
Metal Finisher								
5)	Jewell Instrument	1024	850 Perimeter RD	3,700	433	Patty Konstantopoulos	pH Adjustment	11/30/2020
Plastic Production						,		
6)	NYCOA	1015	333 Sundial Ave	285,000	414	Rob Polce	Settling Tank	5/31/2022
Semi-Conductor							(	
7)	XMA	1040	7 Perimeter Road	560	469	Stephen Traski	pH Adjustment	3/30/2022
Textile Manufacturing							,	
8)	Velcro USA	1019	95 Sundial Ave	80,100		Bruce Briand	pH Adjustment	11/30/2020
9)	General Cable	1007	345 McGregor St.	23,700		Sara Janik		
Hospital								
10)	Elliot Hospital	1041	1 Elliot Way	69,400		Brad Smith		5/31/2022
11)	Catholic Memorial	1107	100 McGregor St	68,900		Pamela Pitman		5/31/2022
12) V	Veterans Medical Center	1018	718 Smyth St.	45,000		Amanda Furtado		5/31/2022
Un-Classified								
13)	Manchester Landfill	1102	Front Street	100,000		City of Manchester		2/28/2022
Specialty Industry								
14) 1	Lyophilization (LSNE)	1005	1 Sundial Street	114,000		Greg Stevenson		8/30/2020
<u> </u>	Freudenberg-NOK	1006	50 Ammon Dr.	8,600	428	Kevin Smith	Calfran/pH	11/30/2020
Plastic Production  Semi-Conductor  Extile Manufacturing  Hospital )  Un-Classified )  Specialty Industry )	NYCOA  XMA  Velcro USA General Cable  Elliot Hospital Catholic Memorial eterans Medical Center  Manchester Landfill  Manchester Landfill  yophilization (LSNE) Freudenberg-NOK	1015 1040 1040 1019 1007 1007 1018 1102 1102	333 Sundial Ave 7 Perimeter Road 95 Sundial Ave 345 McGregor St. 1 Elliot Way 100 McGregor St 718 Smyth St. Front Street 1 Sundial Street 50 Ammon Dr.	285,000 285,000 560 80,100 23,700 69,400 68,900 45,000 1100,000 114,000 8,600	414 414 469 469 428	Rob Polce  Rob Polce  Stephen Traski  Bruce Briand  Sara Janik  Brad Smith  Pamela Pitman  Amanda Furtado  City of Manchester  City of Manchester  Greg Stevenson  Kevin Smith	Settling Tank pH Adjustment pH Adjustment  Calfran/pH	5/31/202 3/30/202 11/30/202 11/30/202 5/31/202 5/31/202 5/31/202 5/31/202 12/28/202 2/28/202

# IPP Monitoring

# City of Manchester, NH Annual IPP Report June 1, 2019 - May 31, 2020

# APPENDIX - B Class II Industrial Users

P Mon	F
Mon	
on	1
=	0
-	₽.
to	to
Ξ.	Ξ.
=	=

15)	14)	13)	12)	11)	10)	9)	8)	7)	9	5)	4)	3)	2)	1)	
Summit Packaging Systems Inc.	Symmetry Medical Inc. Polyvac	Kyzen Corporation	NH Plastics (315 Bouchard)	NH Plastics (1 Bouchard)	Elliot at Rivers Edge	New England Document Systems	H&O Dental	Budd Foods	Blake's Manchester Creamery	Chuckles	Color Lines	Western Foods	CRYO Industries	Hitachi Cable America Inc.	Facility Name
2047	2046	2044	2043	2042	2041	2020	2017	2016	2015	2013	2012	2005	2001	2000	Permit No.
400 Gay Street	253 Abby Road	540 N. Commercial St.	315 Bouchard Street	One Bouchard Street	185 Queen City Ave.	780 E. Industrial Park Drive	1050 N. Perimeter Road	431 Somerville Street	46 Milford Street	11925 South Willow Street	150 Dow Street Tower 4	299 Pepsi Road	11124 South Willow Street	900 Holt Avenue	Location
2,300	1,900	475	1,600	1,000	7,000	850	250	10,000	2,000	2,500	2,000	4,000	1,000	3,000	Avg. Flow GPD
Chris Gallo	Ernie Fuller	Mike Doucette	Ralph Tremblay	Harold Young	Kristen Petrin-Doucet	Nick Brattan	Michelle Maradiaga	Fredrick Hayes Jr.	Richard Wolstencroft	Chuck Frank	Gary Bishop	Dave Martin	Kelcie O'Conner	Dave Murray	Company Representative
Mfg. Aerosol valves	Mfg. Medical trays	Solutions for Circuit Ind.	Plastic Moldings	Plastic Moldings	Patient Care/Lab-Sterilization	Store Microfiche	Mfg. of False Teeth	Mfg. of Frozen Pies	Mfg. of Ice Cream	Mfg. of Soaps	Dyes for Clothing	Food bakery	Cryogenic Equipment	Plastic wrap wire cable	Description of Facility
7/31/2020	11/30/2019	7/31/2020	5/31/2024	5/31/2024	8/31/2021	11/30/2022	5/31/2024	11/30/2022	5/31/2024	3/31/2023	Closed	3/31/2024	2/28/2024	11/30/2019	Permit Expires

# City of Manchester, NH Annual IPP Report June 1, 2019 - May 31, 2020

APPENDIX - C Class III Industrial Users

IPP Monitoring

June	Julie 1, 2019 - May 31, 2020		CIA	SS III	Class III Industrial Users		
	Facility Name	Permit No.	Permit Expires		Facility Name	Permit No.	Permit Expires
	The Doctor's Office	3001	8/31/19	34	Henry's Collision Center	3061	6/30/23
2	Pepsi Cola	3002	1/31/24	35	Soil-Away Salem, NH	3063	7/31/24
ယ	Granite State Manufacturing	3003	8/31/20	36	A-1 Steam Cleaning	3065	1/31/24
4	USPS	3004	5/31/24	37	Starks Brewery	3066	2/28/23
S	Knoettner	3005	5/31/24	38	Servpro of Man/Derry	3070	3/31/24
6	Stanley Mitsubishi	3007	9/30/19	39	Extra Clean Services	3071	Closed
7	Enterprise Holdings	3008	2/28/20	40	Walgreens 227 S. Main St.	3077	11/30/23
8	M.L. Halle	3009	7/31/20	41	Holloway Cars of Man.	3083	11/30/19
9	Secondwind	3011	7/31/20	42	Team Nissan	3089	7/31/24
10	BAE Oasis	3012	6/30/22	43	Manchester Subaru	3090	9/30/19
11	Best Qualified Cleaning Inc.	3013	3/31/19	44	AutoFair Honda	3091	11/30/19
12	Signature Flight Support	3015	11/30/23	45	Quirk Parts Warehouse	3092	5/31/21
13	Brenntag Lubricants	3016	2/28/24	46	AutoFair Hyundai	3093	11/30/19
14	R & L Carriers	3017	2/28/24	47	Merrimack Street Volvo	3094	1/31/20
15	Quirk 1250 S. Willow St.	3018	11/30/23	48	Merrimack Street Volvo	3095	1/31/20
16	Quirk 1100 S. Willow St.	3019	11/30/19	49	Bonneville & Son Inc.	3097	11/30/24
17	Quirk Works - Porter St	3020	11/30/23	50	State Motors Car Wash	3102	3/31/20
18	Steralon	3021	9/30/19	51	Kalwall Corp Pine Street	3104	7/31/20
19	Manchester Armory	3022	4/30/21	52	Keller Products	3105	7/31/20
20	Frank's Signs	3023	4/30/24	53	IRA Toyota	3109	10/31/20
21	AutoFair Ford	3025	8/1/24	54	Conway Express	3112	7/31/24
22	PMC Wire & Cable	3029	6/30/19	55	CVS Pharmacy (271 Mammoth)	3113	7/31/24
23	U-Haul	3031	8/1/24	56	Kalwall Corp 1111 Candia	3120	3/31/23
24	Admix	3033	8/1/24	57	Prestige Auto Body Inc.	3122	9/30/22
25	Crawford Vogel & Wenzel	3037	6/30/20	58	FedEx Ground Package System	3123	9/30/22
26	Certified Maintenance Ser	3043	11/30/23				
27	Liberty Trucks	3039	10/31/20				
28	PSNH 73 West Brook St.	3047	2/28/20	Spec	Special / Temporary Discharge Permit	lit	
29	PSNH 80 West Pennacook	3048	2/28/20	1		T-3001-0118	2/19/2018
30	PSNH 1580 Elm Street	3042	2/28/20				
31	PSNH 780 N.Commercial St.	3051	7/31/23				
32	Texas Instruments	3053	5/31/22				
33	Kimark Specialty Box Co.	3057	8/1/24				

# June 1, 2019 - May 31, 2020 City of Manchester, NH Annual IPP Report

# APPENDIX - D

# **IPP** Monitoring

# Class I/Significant Industrial Users

# EPD Industrial Inspections & Sampling Worksheet

15	14	13	12	11	10	9	∞	7	6	S	4	w	2	-	600		
SIU	SIU	SIU	SIU	CIU 469	SIU	CIU 414	CIU 433	SIU	CIU 428	SIU	SIU	SIU	SIU	SIU		Classification	EPA
1004	1007	1107	1018	1040	1019	1015	1024	1102	1006	1041	1068	1066	1065	1005		No.	Permit
Sterling Laundry	General Cable	Catholic Medical	VA Medical Center	XMA Corporation	Velcro	NYCOA	Jewell	Front St. Landfill	Freudenberg-NOK	Elliot Hospital	E & R Laundry	Cintas Corporation	Cintas Corporation	Lyophilization-LSNE		Name	Facility
1/31/2022	1/31/2020	5/31/2022	1/31/2022	2/28/2022	11/30/2022	5/31/2022	11/30/2020	2/28/2022	11/30/2020	5/31/2022	8/31/2020	4/30/2020	4/30/2020	8/31/2020		Expires	Permit
								Not Required							City Required	Inspection	EPD
								9/20/2019							City Required	Sampling	EPD
10/23/2019	* 11/25/2019	9/24/2019	9/12/2019	10/15/2019	6/25/2019	11/14/2019	8/29/2019	Not Required	9/6/2019	10/31/2019	10/3/2019	7/10/2019	7/10/2019	11/12/2019	Ind. Required	Self-Mon. Rpt.	July - Dec (19)
12/4/2019	* 12/18/2019	12/6/2019	10/4/2019	11/15/2019	12/4/2019	12/5/2019	12/12/2019	Not Required	12/12/2019	12/10/2019	12/13/2019	12/10/2019	12/10/2019	12/2/2019	Ind. Required	Flow Rpt.	July - Dec (19)
															Ind. Required Ind. Required Ind. Required	Self-Mon. Rpt.	July - Dec (19) July - Dec (19) Jan - June (20) Jan - June (20)
								Not Required							Ind. Required	Flow Rpt.	Jan - June (20)

# Town of Bedford

Conducted all Dental Inspections 2018-2019

# Town of Londonderry

See 2018-2019 IPP Annual Report

Conducted all Dental Inspections 2018-2019

# Town of Goffstown

No permit activity

Conducted all Dental Inspections 2018-2019

- 1. Front Street is the City of Manchester's Landfill. The IPP staff maintains the permit and sampling activities.
- 2. N/D = No Discharge
- 3. General Cable: \* New Permit Sampling activities included in package

#### **Information Required By EPA**

#### **Section Two**

Summary of Compliance and Enforcement Activities during the preceding year, including the number of:

#### Part 2 - 1 Significant industrial users inspected by POTW (include inspection dates for each industrial user)

The City of Manchester, (EPD) inspections are summarized on the Industrial Inspection and Sampling Worksheet *Appendix D* at the end of Section One. All Class I inspections were performed from June 1, 2018 through May 31, 2019. EPD also completed the Industrial Class II and Class III permit renewals for this monitoring period. EPD's enforcement tracking sheet is summarized on the Enforcement Response Worksheet *Appendix E* at the end of Section Three.

#### Part 2 - 2 Summary of significant industrial users sampled by the POTW.

The City of Manchester, (EPD) Industrial sampling is summarized on the Industrial Inspection and Sampling Worksheet *Appendix D* at the end of Section One. All Class I Industries' sampling activities were performed from June 1, 2018 through May 31, 2019.

Below are the City's sampling activities that will continue throughout the upcoming reporting year:

- The Town of Londonderry is continuing to monitor the collection system quarterly for excess organic loading and sulfides generated due to the degredation of the high strength waste in the Londonderry sewer system. EPD will continue to monitor for silver, copper, mercury, lead, zinc, selenium, aluminum and total phosphorous. EPD is continuing to collect the data to see if they are contributing to the treatment plants loadings.
- 2. EPD has implemented extensive treatment plant effluent sampling as required by the present NPDES permit. The facility is sampling monthly for copper, lead and total phosphorous from the final effluent. Starting in May of 2019, EPD added Total Nitrogen and per-and poly fluoroalkyl substances (PFAS) (16 compounds) for the influent & effluent, sludge and ash.
- 3. In the past, EPD has had ongoing issues with copper, silver, zinc, and mercury discharges from contributing towns (Bedford, Londonderry, and Goffstown). The sampling activities that were conducted this reporting period indicated that none of the three towns exceeded their allowable pounds of discharge for the parameters sampled.

EPD will continue to monitor the Towns for the metals listed above and continue to monitor for aluminum and total phosphorous to determine whether or not they are contributing to the treatment plants loadings.

#### Part 2 - 3 Summaries of Compliance and Enforcement Activities for Compliance Schedules Issued.

There were no enforcement activities or compliance schedules for the sixteen (16) CAT/SIU industries that are required to be permitted, sampled and inspected.

On December 31, 2018 The City performed a close out inspection of Ion Beam Milling (Permit No.1105) because they relocated their operations to the Town of Londonderry NH. EPD notified the Town of Londonderry that a CAT industry had moved to their jurisdiction.

Listed below are the compliance schedules the City of Manchester, EPD issued for the Class II Industries that reissued a discharge permit from the reporting period of June 1, 2018 through May 31, 2019.

- 1. CRYO Industries Effective Date 1-1-19
- 2. Western Foods (formerly Freeds) Effective Date 2-1-19
- 3. Blake's Manchester Creamery Effective Date4-1-19
- 4. H&O Dental Effective Date 4-1-19
- 5. NH Plastics (1 Bouchard) Effective Date 4-1-19
- 6. NH Plastics (315 Bouchard) Effective Date 4-1-19

The City closed out Color Lines (Permit No. 2012) due to their business being closed during the reporting period.

#### Part 2 - 4 Summaries of Compliance and Enforcement Activities for Written Notices of Violation Issued.

The City of Manchester, EPD, Industrial Enforcement Activities are summarized on the Enforcement Worksheet *Appendix E* at the end of Section Three. EPD issued one (1) written Notice of Violation.

The one (1) violation was for an industry not submitting their periodical compliance reports (PCR) for the sampling and reporting period.

#### Part 2 - 5 Summary of Compliance and Enforcement Activities Involving Administrative Orders Issued.

The City of Manchester, EPD did not issue any Administrative Orders during this reporting period.

#### Part 2 - 6 Summary of Compliance and Enforcement Activities Involving Civil or Criminal Suits Filed.

The City of Manchester, EPD did not file any Civil or Criminal Suits during this reporting period.

#### Part 2-7 Summary of Compliance and Enforcement Activities Involving Penalties Obtained.

The City of Manchester, EPD did not issue or collect any penalties to any permitted industries during this reporting period.

#### **Information Required By EPA**

#### **Section Three**

List of Significantly Violating Industries Requiring Publication.

In review of this year's inspections, self-monitoring reports and submission of periodic compliance reporting it was determined that all reporting and monitoring criteria have been met by all Class I permitted industries.

The City of Manchester, EPD had issued one (1) violation was for the industry who did not conduct their reporting / sampling requirements during the sampling period.

1). E&R Cleaners (Permit No. 1068) was sent a NOV on 12/21/2018 and on 2/11/2019, EPD received the report with the revised authorized signature sheet.

The one (1) industry will be published as a Significantly Non-Compliant (SNC) industry in the local paper. A copy of the news article will be provided and a copy of the original article will be sent to your office.

#### LEGAL NOTICE

In accordance with the Federal Regulations, the City of Manchester, Department of Public Works, Environmental Protection Division, is required to make this public notice. Listed below are the wastewater discharge violations of the requirements of 40CFR Part 403 (General Industrial Pretreatment Regulations) that occurred during the reporting year of June 1, 2017 through May 31, 2018.

Industry Name: E&R Cleaners

Address: 80 Ross Ave., Manchester, NH 03103

Violation: Failure to provide and perform self-monitoring testing for the semi-annual period ending, December 15, 2018. On December 21, 2018 a Notice of Violation was issued.

Status: E & R Cleaners submitted their Periodic Compliance Report for the Semi-Annual period ending February 2019. The new management didn't know to submit the report to the City.

Penalties: Penalties were not assessed or deemed necessary for the incident.

# APPENDIX - E

Enforcement Response Log City of Manchester, NH Annual IPP Report June 1, 2018 - May 31, 2019

_		
Final Resolutions of the	NOV Issued	The City of Manchester issued E&R Cleaners a Notice of Violation (NOV). This violation was issued because E&R did not meet the reporting requirements. All SNCs are documented in the Annual (2018-2019) EPA Pretreatment report.  Considering this is E&R Cleaners second violation during this 2017-2019 reporting periods, the City in accordance with Ordnance 52.999 which includes civil penalties of up to \$10,000 will take in consideration a more progressive action.  The NOV requires a written response from E&R Cleaners within 30 days to the City of Manchester-Environmental Protection Division describing why the sampling was not conducted as required and what the plan is to prevent this
Date	Received	2/11/2019
Date	Due	1/21/2019
Date	Issued	12/21/2018
Type of Action Taken	from Control Authority	City issued a NOV for the Nor Reporting Requirement40 CFR- 403.8 and 403.12
Description of Notice	of Violation	Non reporting and sampling requirements were not meet
Permit	No.	1068
Facility	Name	E&R Cleaners
		=

No Other Enforcement Activities performed during the reporting period.

#### **Information Required By EPA**

#### **Section Four**

A Narrative Description of Program Effectiveness Including Present and Proposed Changes to the Program

#### Part 4 - 1 Effectiveness and Changes in Program.

The City of Manchester (EPD) operates a 34-MGD secondary activated sludge plant. The major components of the operation are grit removal, primary clarification, aeration, secondary settling and clarification, chlorination and dechlorination. Sludge is burned onsite through a fluidized-bed incinerator.

The City of Manchester has had an approved Industrial Pretreatment Program since 1980 that oversees three classifications of industrial users. The Class I are the CAT/SIU users. The Class II is industries that have certain permitted limitations. The Class III are mostly industries that had either a silvery recovery units or oil water separators. The City considers the Class II and III non SIU but have a potential to upset the treatment facility. All permitted industries are reviewed and permits are renewed every 5 years.

EPD has initiated the recently issued §441.40 pretreatment standards for new sources (PSNS) for Dental Amalgam Separator Rule. Any new source subject to this part must comply with the requirements of §441.30(a) and (b) and the reporting and recordkeeping requirements of §441.50. On August 2019, EPD will start our annual inspection of all Dental Offices within the City of Manchester. We did establish a new inspection sheet tracking compliance and submit the database to the State of NH IPP Coordinator and EPA's Region One-Pretreatment Coordinator for their review.

EPD has written a draft Fats Oil and Grease (FOG) program that will be implemented in our Phase III CMOM program. The City will contact the State of NH IPP Coordinator and EPA's Region One-Pretreatment Coordinator for their comments prior to implementation.

#### Part 4 - 2 Narrative Description of Program Staffing.

The City of Manchester, (EPD) Monitoring Department is divided into four (4) programs, CSO, CMOM, Stormwater and the Industrial Pretreatment Program. The Environmental Permits Program Coordinator Jeremy Bouvier, P.E. oversees the programs.

The Pretreatment program is administered by Christopher Crowley. On May, 2019 the engineering technician position become vacant and Chris has taken additional assignments assisting with Stormwater and CMOM projects, as well as sampling and inspections for those programs.

#### Part 4 - 3 Narrative Description of Funding and Resources

The City of Manchester's (EPD) operating budget is supported by sewer user revenues. Revenues are collected from sewer users through a combination of sewer use charges. All sewer users in the City of Manchester pay sewer user fees based on water consumption. The three towns serviced by the EPD are assessed fees based on their measured sewer flows and loadings into the Manchester Sewer System.

#### Part 4 - 4 Narrative Description of the Sewer Use Ordinance

The EPA and the Mayor and Board of Aldermen adopted the present Sewer Use Ordinance in 1997. The Ordinance is effective and adequate in addressing the requirements of Part 403 of the Federal Pretreatment Program requirements.

The few minor changes since adoption have been submitted with the updated IPP sent to EPA on May 11, 2007. On August 22, 2007 EPA responded to our Streamlining Rule modifications to the latest version of the Sewer Ordinance. This was adopted by Board of Mayor and Alderman on November 18, 2014.

#### Information Required By EPA

#### **Section Five**

Summary of Analytical Data.

This section includes the following data:

- 1. Summary of POTW Annual Influent Monitoring Results for the period of June 2018 through May 2019 compared to threshold inhibition concentrations. *See Appendix F*
- 2. Summary of POTW Annual Effluent Monitoring Results for the period of June 2018 through May 2019 compared to threshold inhibition concentrations. *See Appendix G*
- 3. Summary of Sludge Priority Pollutant Analysis Data for the period of June 2018 through May 2019. See Appendix H
- 4. Executive Summary of the Analytical Data is attached in the form of tables. The toxicity data are from summary sheets submitted by the contracted laboratory.

#### SDG: 15385 July 31, 2018 - August 7, 2018

#### **EXECUTIVE SUMMARY**

The following summarizes the results of modified acute and chronic WHOLE effluent toxicity (WET) tests completed with samples collected from Manchester, NH Wastewater Treatment Facility. Acute and chronic toxicity was evaluated using daphnids, *Ceriodaphnia dubia* and flathead minnows, *Pimephales promelas*.

Daphnid neonates from in-house cultures were collected within an eight-hour time span and were less than 24hrs. old when the test was started. Minnows were acquired from Aquatic BioSystem, Inc. of Fort Collins, Colorado and were one day old when the test was started. According the chain of custody, effluent samples were 24-h composite while the Merrimack River samples, used as dilution water, were river grab samples. Samplers were received under chain of custody shipped on ice. The initial samples, which were transported by Aquatec Environmental, Inc. were picked up and delivered on the same day (July 30, 2018). The renewal samples were picked up by Freedom Xpress, Inc. on August 1 and August 3, 2018 and delivered on August 1 and 3, 2018, were slightly above the target range of 0°C to 6°C (103°C and 8.5°C, respectively). Otherwise, the sample receipt, test conditions and control endpoints were within protocol specifications.

The results presented in this report relate to the samples described on the on the chain(s)-of-custody and are intended to be used only by authorized personnel of the City of Manchester, NH. Results from acute and chronic WET tests and their relationship to permit limits are summarized below.

#### **Acute Toxicity Evaluation**

Species	Exposure	LC-50	A-NOEC	Permit Limit (LC-50)	Effluent Meets Permit Limit	Assay Meets Protocol Limits
Ceriodaphnia dubia	48-Hours	>100 %	NC	100 %	Yes	Yes
Pimephales promelas	48-Hours	>100 %	NC	100 %	Yes	Yes
		Chro	onic Toxicit	y Evaluation		
Species	Exposure	C-NOEC	IC-25	Permit Limit (C-NOEC)	Effluent Meets Permit Limit	Assay Meets Protocol Limits
Ceriodaphnia dubia	6 Days	8.5 %*	48.2	8.5 %	Yes	Yes
Pimephales promelas	7 Days	100 %	>100%	8.5 %	Yes	Yes

#### COMMENTS:

Manchester WWTF Effluent Evaluation, July 31, 2018-August 7, 2018

SDG: 15385

<sup>\*</sup>Significant reductions in reproduction were detected in the 12.5%, 50%, and 100% effluent, however, reproduction rates in these concentrations were very high (>30 neonates per female).

#### SDG: 15432 October 16 - October 24, 2018

#### **EXECUTIVE SUMMARY**

The following summarizes the results of modified acute and chronic WHOLE effluent toxicity (WET) tests completed with samples collected from Manchester, NH Wastewater Treatment Facility. Acute and chronic toxicity was evaluated using daphnids, *Ceriodaphnia dubia* and flathead minnows, *Pimephales promelas*.

Daphnid neonates from in-house cultures were collected within an eight-hour time span and were less than 24hrs. old when the test was started. Minnows were acquired from Aquatic BioSystem, Inc. of Fort Collins, Colorado and were one day old when the test was started. Aquatec Environmental, Inc. provided an ISCO 3700 composite sampler for the effluent sampling, programed to collect 310ml every 30 minutes for 24 hours. Merrimack River samples, used as dilution water, were river grab samples. Samplers were received under chain of custody shipped on ice. The initial samples, which were transported by Aquatec Environmental, personnel under chain-0f-custody shipped on ice. Cooler temperatures (as measured in the temperature blank) were within the range of 1.9 °C to 3.7 °C. Sample receipt, test conditions and control endpoints were within protocol specifications.

The results presented in this report relate to the samples described on the on the chain(s)-of-custody and are intended to be used only by authorized personnel of the City of Manchester, NH. Results from acute and chronic WET tests and their relationship to permit limits are summarized below.

#### **Acute Toxicity Evaluation**

Species	Exposure	LC-50	A-NOEC	Permit Limit (LC-50)	Effluent Meets Permit Limit	Assay Meets Protocol Limits
Ceriodaphnia dubia	48-Hours	>100 %	100 %	100 %	Yes	Yes
Pimephales promelas	48-Hours	>100 %	100 %	100 %	Yes	Yes
		Chro	nic Toxicit	y Evaluation		
Species	Exposure	C-NOEC	IC-25	Permit Limit (C-NOEC)	Effluent Meets Permit Limit	Assay Meets Protocol Limits
Ceriodaphnia dubia	8 Days	100 %	>100%	8.5 %	Yes	Yes*
Pimephales promelas	7 Days	100 %	N/C	8.5 %	Yes	Yes

#### COMMENTS:

The Controls met test acceptance criteria. The Percent Minimum Significant Difference (PMSD) was above
the upper boundary of Ceriodaphnia dubia reproduction indicating data more variable than normal. The
chronic test was viewed as provisionally acceptable because reproduction rates were higher in all effluent
concentrations than in the Controls.

Manchester WWTF Effluent Evaluation, October 16-24, 2018 SDG: 15432

#### SDG: 15520 February 12 -February 19, 2019

#### **EXECUTIVE SUMMARY**

The following summarizes the results of modified acute and chronic WHOLE effluent toxicity (WET) tests completed with samples collected from Manchester, NH Wastewater Treatment Facility. Acute and chronic toxicity was evaluated using daphnids, *Ceriodaphnia dubia* and flathead minnows, *Pimephales promelas*.

Daphnid neonates from in-house cultures were collected within an eight-hour time span and were less than 24hrs. old when the test was started. Minnows were acquired from Aquatic BioSystem, Inc. of Fort Collins, Colorado and were one day old when the test was started. According to the Chain-of-Custody, effluent samples were 24-hours composite while Merrimack River samples, used as dilution water, were river grab samples. Samplers were received and transported by Aquatec Environmental, Inc. under chain-of-custody, packed in ice and delivered on the same day (February 11, 13 and 15, 2019). Sample receipt, test conditions and control endpoints were within protocol specifications.

The results presented in this report relate to the samples described on the on the chain(s)-of-custody and are intended to be used only by authorized personnel of the City of Manchester, NH. Results from acute and chronic WET tests and their relationship to permit limits are summarized below

#### **Acute Toxicity Evaluation**

Exposure	LC-50	A-NOEC	Permit Limit (LC-50)	Effluent Meets Permit Limit	Assay Meets Protocol Limits
48-Hours	>100 %	100%	100 %	Yes	Yes
48-Hours	>100 %	100%	100 %	Yes	Yes
	Chro	onic Toxicit	y Evaluation		
Exposure	C-NOEC	IC-25	Permit Limit	Effluent Meets	Assay Meets
© 			(C-NOEC)	Permit Limit	Protocol Limits
6 Days	100 %	>100%	8.5 %	Yes	Yes
7 Days	100 %	>100%	8.5 %	Yes	Yes
	48-Hours 48-Hours Exposure	48-Hours >100 %	48-Hours >100 % 100% 48-Hours >100 % 100% Chronic Toxicit Exposure C-NOEC IC-25 6 Days 100 % >100%	Chronic Toxicity Evaluation   C-NOEC   IC-25   Permit Limit (C-NOEC)   6 Days   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100	48-Hours 48-Hours         >100 % 100 % 100 % Yes           48-Hours 48-Hours         100 % 100 % Yes           248-Hours 200 % 100 % 100 % Yes         Yes           248-Hours 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200 % 200

COMMENTS:

Manchester WWTF Effluent Evaluation, February 12-February 19, 2019 SDG: 15520

SDG: 15569 April 16 - April 23, 2019

#### **EXECUTIVE SUMMARY**

The following summarizes the results of modified acute and chronic WHOLE effluent toxicity (WET) tests completed with samples collected from Manchester, NH Wastewater Treatment Facility. Acute and chronic toxicity was evaluated using daphnids, Ceriodaphnia dubia and flathead minnows, Pimephales promelas.

Daphnid neonates from in-house cultures were collected within an eight-hour time span and were less than 24hrs, old when the test was started. Minnows were acquired from Aquatic BioSystem, Inc. of Fort Collins, Colorado and were one day old when the test was started. According to the Chain-of-Custody, effluent samples were 24-hours composite while Merrimack River samples, used as dilution water, were river grab samples.

Samplers were received and transported by Aquatec Environmental, Inc. under chain-of-custody, packed in ice and delivered on the same day (April 15, 17 and 19, 2019). Sample receipt, test conditions and control endpoints were within protocol specifications.

The results presented in this report relate to the samples described on the on the chain(s)-of-custody and are intended to be used only by authorized personnel of the City of Manchester, NH. Results from acute and chronic WET tests and their relationship to permit limits are summarized below

#### **Acute Toxicity Evaluation**

Exposure	LC-50	A-NOEC	Permit Limit (LC-50)	Effluent Meets Permit Limit	Assay Meets Protocol Limits
48-Hours	>100 %	100%	100 %	Yes	Yes
48-Hours	>100 %	100%	100 %	Yes	Yes
Evnoguro				Efferent Marta	
Exposure	C-NOEC	IC-25			Assay Meets
	Wooden See		(C-NOEC)	Permit Limit	Protocol Limits
6 Days	100 %	>100%	8.5 %	Yes	Yes
7 Days	100 %	>100%	8.5 %	Yes	Yes
	48-Hours 48-Hours Exposure	48-Hours >100 %	48-Hours >100 % 100% 48-Hours >100 % 100% Chronic Toxicit Exposure C-NOEC IC-25 6 Days 100 % >100%	Chronic Toxicity Evaluation   C-NOEC   IC-25   Permit Limit (C-NOEC)   6 Days   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100 %   100	48-Hours 48-Hours         >100 % 100 % 100 % Yes           48-Hours 48-Hours         >100 % 100 % Yes           48-Hours 5-100 % 100 % 100 % Yes         Yes           Chronic Toxicity Evaluation           Exposure 6 Days 100 % 5-100 % 8.5 % Yes

COMMENTS:

Manchester WWTF Effluent Evaluation, April 16-April 23, 2019

SDG: 15569

# City of Manchester NH, Annual IPP Report June 1, 2018 to May 31, 2019

# APPENDIX - F

INFLUENT SAMPLING RESULTS

IPP MONITORING

INFLUENT I	INFLUENT INFORMATION	State H20 Quality	Criteria Corrected	State H2O Quality	Criteria Corrected	Compliance
Date of Analysis	5/28/2019	Criteria	for 7Q10	Criteria	for 7Q10	Status
Lab I.D.	195779	Acute	Acute	Chronic	Chronic	
Listed Parameter	Concentration mg/l	Concentration mg/l (*) Concentration mg/l Concentration mg/l (*) Concentration mg/l	) Concentration mg/1	Concentration mg/l (*)	Concentration mg/l	Yes or No
Antimony					1	
Aluminum	0.09					
Arsenic	0.0012	0.36	4.2552	0.19	2.24580	Yes
Barium						
Beryllium						
Cadmium	. <0.001	0.00082	0.00969	0.00038	0.0044916	Yes
Calcium						
Chromium	0.0014	0.176	2.08032	0.057	0.67374	Yes
Copper	0.02	0.0046	0.054372	0.0035	0.04137	No
Hardness						
Fluoride						
Iron						
Lead	0.0016	0.014	0.16548	0.00055	0.0065010	Yes
Magnesium						
Mercury	0.0000127	0.00204	0.02411	0.000012	0.000142	Yes
Molybdenum						
Nickel	0.0019	0.438	5.17716	0.0487	0.57563	Yes
Phenolic (T)	0.04					Yes
Selenium						
Silver	< 0.001	0.00032	0.0037824			Yes
Thallium	< 0.001					Yes
Vanadium						
Zinc	0.059	0.0354	0.418428	0.0322	0.38060	No
Cyanide	0.04	0.022	0.26004	0.0052	0.06146	Yes
Oil & Grease	20.00					
Oil & Grease W/SGT						
T. Phosphorus	2.90					
ORGANICS	See Note below					
added 625	1,2 diphenylhydrazine	C)				
3 and 4 methylphenol (p-cresol)	(p-cresol) 9.8					
The comple were tested	307 103 3				The second secon	

The sample was tested for 624-625

Manchester has an average daily flow of 26 MGD and the correction factor is 11.82X

<sup>\*</sup>The Merrimack River 7Q10 is at 412 MGD

City of Manchester, NH Annual IPP Report June 1, 2018 - May 31, 2019

# APPENDIX - G

IPP Monitoring

EFFULENT SAMPLING RESULTS

EFFULENT I	EFFULENT INFORMATION	State H2O Quality	Criteria Corrected	State H2O Quality	Criteria Corrected	Compliance
Date of Analysis	5/28/2019	Criteria	for 7Q10	Criteria	for 7Q10	Status
Lab I.D.	195779	Acute	Acute	Chronic	Chronic	
Listed Parameter	Concentration mg/l	Concentration mg/l (*) Concentration mg/l Concentration mg/l (*) Concentration mg/l	Concentration mg/l (	oncentration mg/l (*)	Concentration mg/l	Yes or No
Antimony					(	
Aluminum	0.015					
Arsenic	0.0011	0.36	4.2552	0.19	2.24580	Yes
Barium				DESCRIPTION OF THE PROPERTY OF	THE PROPERTY OF THE PROPERTY O	The state of the s
Beryllium						
Cadmium	< 0.001	0.00082	0.00969	0.00038	0.0044916	Yes
Calcium						
Chromium	< 0.001	0.176	2.08032	0.057	0.67374	Yes
Copper	0.012	0.0046	0.054372	0.0035	0.04137	Yes
Hardness						
Fluoride						
Iron						
Lead	< 0.0005	0.014	0.16548	0.00055	0.0065010	Yes
Magnesium						THE PARTY.
Mercury	0.0023	0.00204	0.02411	0.000012	0.000142	Yes
Molybdenum						A DOWN A SHOW A SHAPE
Nickel	0.0016	0.438	5.17716	0.0487	0.57563	Yes
Phenolic (T)	< 0.06					Yes
Selenium						5.000
Silver	< 0.001	0.00032	0.0037824			Yes
Thallium	< 0.001					Yes
Vanadium						
Zinc	0.032	0.0354	0.418428	0.0322	0.38060	Yes
Cyanide	0.013	0.022	0.26004	0.0052	0.06146	Yes
Oil & Grease	< 6	0				
Oil & Grease W/SGT						
T. Phosphorus	2.3					
ORGANICS	See Note below					
added 625	1,2 diphenylhydrazine	co				

The sample was tested for 624-625

Manchester has an average daily flow of 26 MGD and the correction factor is 11.82X

<sup>\*</sup>The Merrimack River 7Q10 is at 412 MGD

Date Received	6/14/2018	7/27/2018	8/23/2018	9//3//01/8	TCLP Limits	NPDES	SH4 Rage	State NH (1)	
Lab ID Number	30766	184790	185782	187019	Criteria	NPDES Permit 5/1/15	503 Rags Sub B (1)	State NH (1) Criteria	State of Compliance
Listed Parameter	ug/g	ug/g	ug/g	ug/g				t. mg/kg dry wt.	
Aluminum	- 6 6		68000.00	-6.6		ang ang ang ana	ang, ang an j	inging dry ire	mg/kg dij ii
Antimony		2.20	2.30	2.50					
Arsenic	5.13	0.50	9.20	7.90	100	8,573	41	32	Yes
Barium	310.00	0.50	270.00	2.00	2,000	0,575	71	32	1 63
Beryllium	510.00	0.50	0.87	0.50	2,000				
Boron		0.50	5.60	0.50					
Cadmium	1.97	1.90	2.90	1.90	20	43,416	39	14	Yes
Chromium	17.50	23.00	29.00	25.00	100	1,423,398	1,200	1,000	Yes
Copper	17.30	300.00	350.00	300.00	100	1,423,390			
Iron		12000.00	11000.00	10000.00			1,500	1,500	yes
Lead	38.90	63.00	59.00	51.00	100	262 701	200	200	*7
Mercury	0.45	0.68	0.68	0.74	100	262,781	300	300	Yes
	0.43			9.30	4		17	10	Yes
Molybdenum Nickel		6.50	7.10			212 (12	75	35	Yes
Selenium	4.00	14.00	17.00	15.00	20	213,643	420	200	
	4.98	4.10	3.10	2.70	20		100	28	Yes
Silver	3.92	2.20	2.20	2.50	100			(4)	Yes
Thallium		0.50	0.50	0.50					
Vanadium			12.00						
Zinc		660.00	710.00	650.00			2,800	2,500	Yes
% Solids	26.70%	27.80%	29.30%	17.80%					
Free Lq (Paint Filter)	Absent	Absent	Absent	Absent					
% Carbon									
Total Organic Carbon									
% CaCO3 -eq.									
% CaCO3 -eq. pH (Soil)									
% CaCO3 -eq.	7/28/2018	8/7/2018	8/30/2018	9/27/2018					
% CaCO3 -eq. pH (Soil)		8/7/2018 184790-001							
% CaCO3 -eq. pH (Soil) Date of Analysis	30766-001								
% CaCO3 -eq. pH (Soil)  Date of Analysis  Lab ID Number	30766-001	184790-001	185782-02	187019-01					
% CaCO3 -eq. pH (Soil)  Date of Analysis  Lab ID Number  Concentration ug/g dry	30766-001	184790-001 mg/Kg	185782-02 mg/Kg	187019-01 mg/Kg					
% CaCO3 -eq. pH (Soil)  Date of Analysis  Lab ID Number  Concentration ug/g dry acetone	30766-001 mg/Kg	184790-001 mg/Kg 37.00	185782-02 mg/Kg 200.00	187019-01 mg/Kg 180.00					
% CaCO3 -eq. pH (Soil)  Date of Analysis  Lab ID Number  Concentration ug/g dry acetone  2-Butanone (MEK)  1,2-dichloroethane	30766-001 mg/Kg	184790-001 mg/Kg 37.00	185782-02 mg/Kg 200.00	187019-01 mg/Kg 180.00					
% CaCO3 -eq. pH (Soil)  Date of Analysis  Lab ID Number  Concentration ug/g dry acetone 2-Butanone (MEK) 1,2-dichloroethane 1,1-dichloroethene	30766-001 mg/Kg	184790-001 mg/Kg 37.00	185782-02 mg/Kg 200.00	187019-01 mg/Kg 180.00					
% CaCO3 -eq. pH (Soil)  Date of Analysis  Lab ID Number  Concentration ug/g dry acetone  2-Butanone (MEK) 1,2-dichloroethane 1,1-dichloroethene 1,4-dichlorobenzene	30766-001 mg/Kg	184790-001 mg/Kg 37.00	185782-02 mg/Kg 200.00	187019-01 mg/Kg 180.00					
% CaCO3 -eq. pH (Soil)  Date of Analysis  Lab ID Number  Concentration ug/g dry acetone  2-Butanone (MEK) 1,2-dichloroethane 1,1-dichloroethene 1,4-dichlorobenzene benzene	30766-001 mg/Kg	184790-001 mg/Kg 37.00	185782-02 mg/Kg 200.00	187019-01 mg/Kg 180.00					
% CaCO3 -eq. pH (Soil)  Date of Analysis  Lab ID Number  Concentration ug/g dry acetone  2-Butanone (MEK)  1,2-dichloroethane  1,1-dichloroethene  1,4-dichlorobenzene benzene carbon tetrachloride	30766-001 mg/Kg	184790-001 mg/Kg 37.00	185782-02 mg/Kg 200.00 41.00	187019-01 mg/Kg 180.00 54.00					
% CaCO3 -eq. pH (Soil)  Date of Analysis  Lab ID Number  Concentration ug/g dry acetone  2-Butanone (MEK)  1,2-dichloroethane  1,1-dichloroethene  1,4-dichlorobenzene benzene carbon tetrachloride toluene	30766-001 mg/Kg	184790-001 mg/Kg 37.00	185782-02 mg/Kg 200.00	187019-01 mg/Kg 180.00					
% CaCO3 -eq. pH (Soil)  Date of Analysis  Lab ID Number  Concentration ug/g dry acetone  2-Butanone (MEK)  1,2-dichloroethane  1,1-dichloroethene  1,4-dichlorobenzene benzene carbon tetrachloride toluene chloroform	30766-001 mg/Kg	184790-001 mg/Kg 37.00	185782-02 mg/Kg 200.00 41.00	187019-01 mg/Kg 180.00 54.00					
% CaCO3 -eq. pH (Soil)  Date of Analysis  Lab ID Number  Concentration ug/g dry acetone  2-Butanone (MEK) 1,2-dichloroethane 1,1-dichloroethene 1,4-dichlorobenzene benzene carbon tetrachloride toluene chloroform methyl ethyl ketone	30766-001 mg/Kg	184790-001 mg/Kg 37.00	185782-02 mg/Kg 200.00 41.00	187019-01 mg/Kg 180.00 54.00					
% CaCO3 -eq. pH (Soil)  Date of Analysis  Lab ID Number  Concentration ug/g dry acetone  2-Butanone (MEK) 1,2-dichloroethane 1,1-dichloroethene 1,4-dichlorobenzene benzene carbon tetrachloride toluene chloroform methyl ethyl ketone tetrachloroethene	30766-001 mg/Kg	184790-001 mg/Kg 37.00	185782-02 mg/Kg 200.00 41.00	187019-01 mg/Kg 180.00 54.00					
% CaCO3 -eq. pH (Soil)  Date of Analysis  Lab ID Number  Concentration ug/g dry acetone  2-Butanone (MEK) 1,2-dichloroethane 1,1-dichloroethene 1,4-dichlorobenzene benzene carbon tetrachloride toluene chloroform methyl ethyl ketone tetrachloroethene trichloroethene	30766-001 mg/Kg	184790-001 mg/Kg 37.00	185782-02 mg/Kg 200.00 41.00	187019-01 mg/Kg 180.00 54.00					
% CaCO3 -eq. pH (Soil)  Date of Analysis  Lab ID Number  Concentration ug/g dry acetone  2-Butanone (MEK) 1,2-dichloroethane 1,1-dichloroethene 1,4-dichlorobenzene benzene carbon tetrachloride toluene chloroform methyl ethyl ketone tetrachloroethene trichloroethene vinyl chloride	30766-001 mg/Kg 1900.00	184790-001 mg/Kg 37.00	185782-02 mg/Kg 200.00 41.00	187019-01 mg/Kg 180.00 54.00					
% CaCO3 -eq. pH (Soil)  Date of Analysis  Lab ID Number  Concentration ug/g dry acetone  2-Butanone (MEK)  1,2-dichloroethane  1,1-dichloroethene  1,4-dichlorobenzene benzene carbon tetrachloride toluene chloroform methyl ethyl ketone tetrachloroethene trichloroethene vinyl chloride  2-methylphenol (m-creas	30766-001 mg/Kg 1900.00	184790-001 mg/Kg 37.00 940.00	185782-02 mg/Kg 200.00 41.00	187019-01 mg/Kg 180.00 54.00					
% CaCO3 -eq. pH (Soil)  Date of Analysis  Lab ID Number  Concentration ug/g dry acetone  2-Butanone (MEK)  1,2-dichloroethane  1,1-dichloroethene  1,4-dichlorobenzene benzene carbon tetrachloride toluene chloroform methyl ethyl ketone tetrachloroethene trichloroethene vinyl chloride  2-methylphenol (m-creas 3-4-methylphenol(p-o-c)	30766-001 mg/Kg 1900.00	184790-001 mg/Kg 37.00	185782-02 mg/Kg 200.00 41.00	187019-01 mg/Kg 180.00 54.00					
% CaCO3 -eq. pH (Soil)  Date of Analysis  Lab ID Number  Concentration ug/g dry acetone  2-Butanone (MEK) 1,2-dichloroethane 1,1-dichloroethene 1,4-dichlorobenzene benzene carbon tetrachloride toluene chloroform methyl ethyl ketone tetrachloroethene trichloroethene vinyl chloride 2-methylphenol (m-creas 3-4-methylphenol(p-o-c) 1,4 dichlorobenzene	30766-001 mg/Kg 1900.00	184790-001 mg/Kg 37.00 940.00	185782-02 mg/Kg 200.00 41.00	187019-01 mg/Kg 180.00 54.00					
% CaCO3 -eq. pH (Soil)  Date of Analysis  Lab ID Number  Concentration ug/g dry acetone  2-Butanone (MEK) 1,2-dichloroethane 1,1-dichloroethene 1,4-dichlorobenzene benzene carbon tetrachloride toluene chloroform methyl ethyl ketone tetrachloroethene trichloroethene trichloroethene vinyl chloride 2-methylphenol (m-creas 3-4-methylphenol(p-o-c) 1,4 dichlorobenzene o-cresol	30766-001 mg/Kg 1900.00	184790-001 mg/Kg 37.00 940.00	185782-02 mg/Kg 200.00 41.00	187019-01 mg/Kg 180.00 54.00					
% CaCO3 -eq. pH (Soil)  Date of Analysis  Lab ID Number  Concentration ug/g dry acetone  2-Butanone (MEK) 1,2-dichloroethane 1,1-dichloroethene 1,4-dichlorobenzene benzene carbon tetrachloride toluene chloroform methyl ethyl ketone tetrachloroethene trichloroethene vinyl chloride 2-methylphenol (m-creas 3-4-methylphenol(p-o-c) 1,4 dichlorobenzene o-cresol m-cresol	30766-001 mg/Kg 1900.00	184790-001 mg/Kg 37.00 940.00	185782-02 mg/Kg 200.00 41.00	187019-01 mg/Kg 180.00 54.00					
% CaCO3 -eq. pH (Soil)  Date of Analysis  Lab ID Number  Concentration ug/g dry acetone  2-Butanone (MEK) 1,2-dichloroethane 1,1-dichloroethene 1,4-dichlorobenzene benzene carbon tetrachloride toluene chloroform methyl ethyl ketone tetrachloroethene trichloroethene vinyl chloride 2-methylphenol (m-creas 3-4-methylphenol(p-o-c) 1,4 dichlorobenzene o-cresol m-cresol p-cresol	30766-001 mg/Kg 1900.00	184790-001 mg/Kg 37.00 940.00	185782-02 mg/Kg 200.00 41.00	187019-01 mg/Kg 180.00 54.00					
% CaCO3 -eq. pH (Soil)  Date of Analysis  Lab ID Number  Concentration ug/g dry acetone  2-Butanone (MEK)  1,2-dichloroethane  1,1-dichloroethene  1,4-dichlorobenzene benzene carbon tetrachloride toluene chloroform methyl ethyl ketone tetrachloroethene trichloroethene trichloroethene vinyl chloride  2-methylphenol (m-creas 3-4-methylphenol(p-o-c) 1,4 dichlorobenzene o-cresol m-cresol p-cresol 2,4-dinitrotoluene	30766-001 mg/Kg 1900.00	184790-001 mg/Kg 37.00 940.00	185782-02 mg/Kg 200.00 41.00	187019-01 mg/Kg 180.00 54.00					
% CaCO3 -eq. pH (Soil)  Date of Analysis  Lab ID Number  Concentration ug/g dry acetone  2-Butanone (MEK)  1,2-dichloroethane  1,1-dichloroethene  1,4-dichlorobenzene benzene carbon tetrachloride toluene chloroform methyl ethyl ketone tetrachloroethene trichloroethene vinyl chloride  2-methylphenol (m-creas 3-4-methylphenol(p-o-c) 1,4 dichlorobenzene o-cresol m-cresol p-cresol 2,4-dinitrotoluene hexachlorobenzene	30766-001 mg/Kg 1900.00	184790-001 mg/Kg 37.00 940.00	185782-02 mg/Kg 200.00 41.00	187019-01 mg/Kg 180.00 54.00					
% CaCO3 -eq. pH (Soil)  Date of Analysis  Lab ID Number  Concentration ug/g dry acetone  2-Butanone (MEK)  1,2-dichloroethane  1,1-dichloroethene  1,4-dichlorobenzene benzene carbon tetrachloride toluene chloroform methyl ethyl ketone tetrachloroethene trichloroethene vinyl chloride  2-methylphenol (m-creas 3-4-methylphenol (p-o-c) 1,4 dichlorobenzene o-cresol m-cresol p-cresol 2,4-dinitrotoluene hexachlorobenzene hexochloro-1,3-butadiene	30766-001 mg/Kg 1900.00	184790-001 mg/Kg 37.00 940.00	185782-02 mg/Kg 200.00 41.00	187019-01 mg/Kg 180.00 54.00					
% CaCO3 -eq. pH (Soil)  Date of Analysis  Lab ID Number  Concentration ug/g dry acetone  2-Butanone (MEK)  1,2-dichloroethane  1,1-dichloroethene  1,4-dichlorobenzene benzene carbon tetrachloride toluene chloroform methyl ethyl ketone tetrachloroethene trichloroethene vinyl chloride  2-methylphenol (m-creas 3-4-methylphenol(p-o-c) 1,4 dichlorobenzene o-cresol m-cresol p-cresol 2,4-dinitrotoluene hexachlorobenzene hexochloro-1,3-butadien phenathrene	30766-001 mg/Kg 1900.00	184790-001 mg/Kg 37.00 940.00	185782-02 mg/Kg 200.00 41.00	187019-01 mg/Kg 180.00 54.00					
% CaCO3 -eq. pH (Soil)  Date of Analysis  Lab ID Number  Concentration ug/g dry acetone  2-Butanone (MEK) 1,2-dichloroethane 1,1-dichloroethene 1,4-dichlorobenzene benzene carbon tetrachloride toluene chloroform methyl ethyl ketone tetrachloroethene trichloroethene trichloroethene vinyl chloride 2-methylphenol (m-creas 3-4-methylphenol(p-o-c) 1,4 dichlorobenzene o-cresol m-cresol p-cresol 2,4-dinitrotoluene hexachlorobenzene hexochloro-1,3-butadien phenathrene methylene chloride	30766-001 mg/Kg 1900.00	184790-001 mg/Kg 37.00 940.00	185782-02 mg/Kg 200.00 41.00	187019-01 mg/Kg 180.00 54.00					
% CaCO3 -eq. pH (Soil)  Date of Analysis  Lab ID Number  Concentration ug/g dry acetone  2-Butanone (MEK) 1,2-dichloroethane 1,1-dichloroethene 1,4-dichlorobenzene benzene carbon tetrachloride toluene chloroform methyl ethyl ketone tetrachloroethene trichloroethene trichloroethene vinyl chloride 2-methylphenol (m-creas 3-4-methylphenol(p-o-c) 1,4 dichlorobenzene o-cresol m-cresol p-cresol 2,4-dinitrotoluene hexachlorobenzene hexochloro-1,3-butadien phenathrene methylene chloride	30766-001 mg/Kg 1900.00	184790-001 mg/Kg 37.00 940.00	185782-02 mg/Kg 200.00 41.00	187019-01 mg/Kg 180.00 54.00					
% CaCO3 -eq. pH (Soil)  Date of Analysis  Lab ID Number  Concentration ug/g dry acetone  2-Butanone (MEK)  1,2-dichloroethane  1,1-dichloroethene  1,4-dichlorobenzene benzene carbon tetrachloride toluene chloroform methyl ethyl ketone tetrachloroethene trichloroethene vinyl chloride  2-methylphenol (m-creas 3-4-methylphenol(p-o-c) 1,4 dichlorobenzene o-cresol m-cresol p-cresol 2,4-dinitrotoluene hexachlorobenzene	30766-001 mg/Kg 1900.00	184790-001 mg/Kg 37.00 940.00	185782-02 mg/Kg 200.00 41.00	187019-01 mg/Kg 180.00 54.00					
% CaCO3 -eq. pH (Soil)  Date of Analysis  Lab ID Number  Concentration ug/g dry acetone  2-Butanone (MEK) 1,2-dichloroethane 1,1-dichloroethene 1,4-dichlorobenzene benzene carbon tetrachloride toluene chloroform methyl ethyl ketone tetrachloroethene trichloroethene trichloroethene trichloroethene vinyl chloride 2-methylphenol (m-creas 3-4-methylphenol(p-o-c) 1,4 dichlorobenzene o-cresol m-cresol p-cresol 2,4-dinitrotoluene hexachlorobenzene hexachlorobenzene hexachloro-1,3-butadien phenathrene methylene chloride Fluoranthane	30766-001 mg/Kg 1900.00	184790-001 mg/Kg 37.00 940.00 140.00	185782-02 mg/Kg 200.00 41.00	187019-01 mg/Kg 180.00 54.00					
% CaCO3 -eq. pH (Soil)  Date of Analysis  Lab ID Number  Concentration ug/g dry acetone  2-Butanone (MEK)  1,2-dichloroethane  1,1-dichloroethene  1,4-dichlorobenzene benzene carbon tetrachloride toluene chloroform methyl ethyl ketone tetrachloroethene trichloroethene trichloroethene vinyl chloride  2-methylphenol (m-creas 3-4-methylphenol(p-o-c) 1,4 dichlorobenzene o-cresol m-cresol p-cresol 2,4-dinitrotoluene hexachlorobenzene hexochloro-1,3-butadien phenathrene methylene chloride Fluoranthane Pyrene	30766-001 mg/Kg 1900.00	184790-001 mg/Kg 37.00 940.00 140.00 1.20 4.00 2.10	185782-02 mg/Kg 200.00 41.00	187019-01 mg/Kg 180.00 54.00					

**Sludge Sampling Results** 

Date Received Lab ID Number									
I oh ID Number					TCLP Limits		503 Rags	State NH (1)	State of
	188422	189714	190702	191385	Criteria	Permit 5/1/15	Sub B (1)	Criteria	Complian
Listed Parameter	ug/g	ug/g	ug/g	ug/g	mg/kg dry wt.	mg/kg dry wt.	ng/kg dry wt.	mg/kg dry wt.	mg/kg dry
Aluminum	3100.00		4300.00	3300.00					WATER STREET,
Antimony	1.50	1.90	1.90	1.80					
Arsenic	4.90	6.40	4.50	4.10	100	8,573	41	32	Yes
Barium	290.00		260.00	190.00	2,000				
Beryllium	0.50	0.57	0.50	0.50					
Boron	5.00		4.30	5.30					
Cadmium	1.80	3.00	2.10	4.30	20.0	43,416	39	14	Yes
Chromium	14.00	19.00	18.00	14.00	100	1,423,398	1,200	1,000	Yes
Copper	260.00	280.00	250.00	200.00			1,500	1,500	yes
Iron	10000.00	11000.00	11000.00	9000.00				-,	J C 0
Lead	23.00	42.00	36.00	23.00	100	262,781	300	300	Yes
Mercury	0.29	0.30	0.32	0.32	4.0	,/	17	10	Yes
Molybdenum	7.20	4.30	3.80	3.40			75	35	Yes
Nickel	8.90	12.00	10.00	8.90		213,643	420	200	168
Selenium	3.70	2.00	3.10	3.30	20.0	213,043	100	28	Yes
Silver	2.60	2.00	2.40	2.40	100		100	20	
Thallium	0.50	0.50	0.50	0.50	100				Yes
Vanadium	5.50	0.30	8.80	13.00					
Zinc	480.00	400.00							
% Solids	24.20%	480.00	530.00	420.00			2,800	2,500	Yes
		24.30%	24.90%	24.70%					
Free Lq (Paint Filter)	Absent	Absent	Absent	Absent					
% Carbon									
Total Organic Carbon									
% CaCO3 -eq.									
pH (Soil)									
Date of Analysis			12/28/2018						
Lab ID Number		189714-01	190702-02	191385-01					
Concentration ug/g dr	mg/Kg	mg/Kg	mg/Kg	mg/Kg					
acetone	410.00	160.00	160.00	240.00					
2-Butanone (MEK)	120.00	19.00	36.00	53.00					
1,2-dichloroethane									
1,1-dichloroethene									
1,4-dichlorobenzene									
benzene									
carbon tetrachloride									
carbon tetrachloride		5.50							
toluene		5.50							
toluene chloroform		5.50							
toluene chloroform methyl ethyl ketone		5.50							
toluene chloroform methyl ethyl ketone tetrachloroethene		5.50							
toluene chloroform methyl ethyl ketone tetrachloroethene trichloroethene		5.50							
toluene chloroform methyl ethyl ketone tetrachloroethene trichloroethene vinyl chloride		5.50							
toluene chloroform methyl ethyl ketone tetrachloroethene trichloroethene vinyl chloride 2-methylphenol (m-crea									
toluene chloroform methyl ethyl ketone tetrachloroethene trichloroethene vinyl chloride 2-methylphenol (m-crea 3-4-methylphenol(p-o-c		5.50		1600.00					
toluene chloroform methyl ethyl ketone tetrachloroethene trichloroethene vinyl chloride 2-methylphenol (m-crea 3-4-methylphenol(p-o-c) 1,4 dichlorobenzene				1600.00					
toluene chloroform methyl ethyl ketone tetrachloroethene trichloroethene vinyl chloride 2-methylphenol (m-crea 3-4-methylphenol(p-o-c) 1,4 dichlorobenzene o-cresol				1600.00					
toluene chloroform methyl ethyl ketone tetrachloroethene trichloroethene vinyl chloride 2-methylphenol (m-crea 3-4-methylphenol(p-o-c) 1,4 dichlorobenzene b-cresol m-cresol				1600.00					
coluene chloroform methyl ethyl ketone methyl ethyl ketone methyl ethyl ketone methyl ethyl ketone methyloroethene michloroethene michloroeth				1600.00					
toluene chloroform methyl ethyl ketone methyl ethyl ketone methyl ethyl ketone methyl ethyl ketone methyloroethene michloroethene vinyl chloride methylphenol (m-crea methylphenol(p-o-c) methylphenol(p-o-c) methylphenol methyl me				1600.00					
toluene chloroform methyl ethyl ketone methyl ethyl ketone methyl ethyl ketone methyl ethyl ketone methyloroethene methyloride methylphenol (m-crea methylphenol(p-o-c) methylphenol methyl met	2 160.00			1600.00					
toluene chloroform methyl ethyl ketone methyl ethyl ketone methyl ethyl ketone methyl ethyl ketone methyloroethene methyloride methylphenol (m-crea methylphenol(p-o-c) methylphenol methyl met	2 160.00			1600.00					
toluene chloroform methyl ethyl ketone tetrachloroethene trichloroethene vinyl chloride 2-methylphenol (m-crea 3-4-methylphenol(p-o-c) 1,4 dichlorobenzene to-cresol m-cresol to-cresol 2,4-dinitrotoluene texachlorobenzene texachlorobenzene texachloro-1,3-butadier	2 160.00			1600.00					
toluene chloroform methyl ethyl ketone tetrachloroethene trichloroethene vinyl chloride 2-methylphenol (m-crea 3-4-methylphenol(p-o-c) 1,4 dichlorobenzene to-cresol m-cresol p-cresol 2,4-dinitrotoluene nexachlorobenzene mexachlorobenzene mexachloroethane	2 160.00			1600.00					
toluene chloroform methyl ethyl ketone tetrachloroethene trichloroethene vinyl chloride 2-methylphenol (m-crea 3-4-methylphenol(p-o-c) 1,4 dichlorobenzene to-cresol m-cresol p-cresol 2,4-dinitrotoluene mexachlorobenzene mexachloroethane mitrobenzene	2 160.00			1600.00					
toluene chloroform methyl ethyl ketone methyl ethyl ketone methyl ethyl ketone methyl ethyl ketone methyloroethene mitchloroethene mitchloroethene mitchloroethene mitchloroethene mitchloroethene mexachlorobenzene mexachloroethene mexachloroethane mitrobenzene methyloroethane mitrobenzene mexachloroethane mitrobenzene methyloroethane mitrobenzene methyloroethane mitrobenzene methyloroethane mitrobenzene methyloroethane mitrobenzene methyloroethane mitrobenzene	2 160.00			1600.00					
toluene chloroform methyl ethyl ketone tetrachloroethene trichloroethene vinyl chloride 2-methylphenol (m-crea 3-4-methylphenol(p-o-c) 1,4 dichlorobenzene o-cresol m-cresol p-cresol 2,4-dinitrotoluene hexachlorobenzene mexachloroethane mitrobenzene pentachlorophenol Pryidine	2 160.00			1600.00					
toluene chloroform methyl ethyl ketone methyl ethyl ketone methyl ethyl ketone methyl ethyl ketone methyloroethene mitchloroethene mitchloroethene mitchloroethene mitchloroethene mitchloroethene mexachlorobenzene mexachloroethene mexachloroethane mitrobenzene methyloroethane mitrobenzene mexachloroethane mitrobenzene methyloroethane mitrobenzene methyloroethane mitrobenzene methyloroethane mitrobenzene methyloroethane mitrobenzene methyloroethane mitrobenzene	2 160.00			1600.00					

June 1, 2018 - May 31, 2019

Sludge Sampling Results

Date Received	2/9/2019	3/15/2019			TCLP Limits		503 Rags	State NH (1)	State of
Lab ID Number	19229	193068	194576	195588		Permit 5/1/15	HIND SQEED BY A CHRONISH HIND TO A SALE RU	Criteria	Compliance
Listed Parameter	ug/g	ug/g	ug/g	ug/g		.mg/kg dry wt.			
Aluminum	46.6	2600.00	3900.00	2700.00	ing/kg dry we	. mg/kg ury wt.	ing/kg ury wt	. mg/kg ur y wt.	mg/kg ury v
Antimony	2.30	1.80	2.00	1.80	-				
Arsenic	4.00	2.70	5.00	4.10	100	0 572	41	22	*7
Barium	4.00	150.00	170.00	200.00		8,573	41	32	Yes
Beryllium	0.50	0.50	0.50	0.50	2,000				
	0.50								
Boron Cadmium	5.50	5.00	5.00	5.00	20.0	10.116			
	5.50	3.80	1.90	2.00	20.0	43,416	39	14	Yes
Chromium	17.00	15.00	20.00	14.00	100	1,423,398	1,200	1,000	Yes
Copper	190.00	160.00	250.00	210.00		· ·	1,500	1,500	yes
Iron	8100.00	7000.00	8400.00	7500.00					
Lead	28.00	20.00	38.00	25.00	100	262,781	300	300	Yes
Mercury	0.25	0.37	0.51	1.10	4.0		17	10	Yes
Molybdenum	3.20	3.10	1800.00	4.40			75	35	Yes
Nickel	11.00	8.40	11.00	12.00		213,643	420	200	
Selenium	2.70	3.20	2.10	2.80	20.0		100	28	Yes
Silver	7.80	3.40	1.90	2.00	100				Yes
Thallium	0.50	0.50	0.50	0.50					
Vanadium		7.40	13.00	6.30					
Zinc	410.00	3400.00	470.00	510.00			2,800	2,500	Yes
% Solids	25.70%	22.70%	29.10%	25.10%			_,	2,000	7.00
Free Lq (Paint Filter)	Absent	Absent	Absent	Absent					
% Carbon	1200111	11000111	11000111	riobelit					
Total Organic Carbon									
% CaCO3 -eq.									
pH (Soil)									
Date of Analysis	2/10/2010	3/27/2019	4/29/2019	5/21/2019					Second International Control
Lab ID Number			194576-02						
Concentration ug/g dr	mg/Kg	mg/Kg	mg/Kg	mg/Kg					
acetone	200.00	1200.00	140.00	140.00	//···································				
2-Butanone (MEK)	60.00	460.00	67.00						
	60.00	460.00	67.00	48.00					
1,2-dichloroethane									
1,1-dichloroethene									
1,4-dichlorobenzene									
benzene									
carbon tetrachloride									
toluene	2.80		2.70	1.90					
chloroform									
methyl ethyl ketone									
tetrachloroethene									
trichloroethene									
vinyl chloride									
2-methylphenol (m-creas	sol)								
3-4-methylphenol(p-o-c)		140.00	230.00	320.00					
1,4 dichlorobenzene	250.50	2.0.00		220.00					
o-cresol									
m-cresol									
p-cresol									
2,4-dinitrotoluene									
hexachlorobenzene									
hexochloro-1,3-butadien	е								
hexachloroethane									
nitrobenzene									
pentachlorophenol									
Pryidine									
2,4,5-trichlorophenol									
2,4,6-trichlorophenol									
phenol									
menor									

#### Information Required By EPA

#### **Section Six**

Description of Interference and Pass-Through

There was no industrial interference with the treatment plant process that caused any interference or pass-through during the June 1, 2018 through May 31, 2019 reporting period. The aeration system is fully operational. The system is much more forgiving in handling high loadings and low dissolved oxygen conditions are quickly corrected. EPD will continue monitor the conditions and adjust the performance of the plant's performance.

#### **Information Required By EPA**

#### **Section Seven**

#### Investigation of Interference and Pass-Through

The City of Manchester, EPD has taken a proactive approach in sampling the POTW influent and effluent for nutrients, metals and total phosphorus. EPD has taken the initiative to sample permit renewals that could potentially contribute to the metals and total phosphorus loadings at the treatment plant. EPD has determined that the Manchester Water Works and Granite Ridge Energy of New Hampshire are two industries that might be contributing to the influent aluminum during dry weather conditions.

EPD will continue to test for aluminum, mercury and total phosphorus from the contributing towns (Bedford, Goffstown and Londonderry) during the quarterly sampling activities.

<u>The Town of Bedford</u> quarterly sampling results from June 1, 2018 to May 31, 2019 indicated that they had not exceeded their allowable pounds per day for any of the parameters that were tested. The additional test results for aluminum, mercury and phosphorus are in the table below.

The additional sampling of:	Aluminum	Mercury	Total Phosphorus
7/12/2018	0.851 mg/l	0.0002 mg/l	12.00 mg/l
10/10/2018	0.715 mg/l	0.0004 mg/l	5.30 mg/l
3/15/2019	1.688 mg/l	0.0001 mg/l	7.10 mg/l
5/16/2019	1.117 mg/l	0.0022	7.30 mg/l

<u>The Town of Goffstown</u> quarterly sampling results from June 1, 2018 to May 31, 2019 indicated that they had not exceeded their allowable pounds per day for any of the parameters that were tested. The additional test results for aluminum, mercury and phosphorus are in the table below.

The additional sampling of:	Aluminum	Mercury	Total Phosphorus
7/26/2018	0.480 mg/l	0.00001 mg/l	3.80 mg/l
10/10/2018	0.380 mg/l	0.00010 mg/l	8.70 mg/l
3/15/2019	0.140 mg/l	0.00001 mg/l	9.20 mg/l
5/16/2019	0.140 mg/l	0.00001 mg/l	5.10 mg/l

The Town of Londonderry quarterly sampling results from June 1, 2018 to May 31, 2019 indicated that they had not exceeded their allowable pounds per day for any of the parameters that was tested. The additional test results for aluminum, mercury and phosphorus are in the table below.

The addi	tional sampling of:	Aluminum	Mercury	Total Phosphorus
	8/22/2018	0.770 mg/l	0.00010 mg/l	9.90 mg/l
	10/10/2018	0.570 mg/l	0.00010 mg/1	9.80 mg/l
	3/15/2019	0.310 mg/l	0.00002 mg/l	6.90 mg/l
	5/16/2019	0.160 mg/l	0.00001 mg/l	9.20 mg/l

EPD will continue to monitor the influent and effluent for those parameters to ensure we are meeting the effluent requirements.

#### Information Required By EPA

#### Section Eight

#### Monitoring for Interference and Pass-Through

The City of Manchester, EPD has an active sampling and monitoring program for interference and pass-through. Below are the tests performed for the parameters listed through the reporting period.

- 1. Influent and Effluent monitoring for metals, total phosphorous, cyanide, volatile and semi-volatile organics (priority pollutant scan).
- 2. Quarterly toxicity testing as outlined within the NPDES Permit.
- 3. Monthly Sludge analysis for metals. Testing includes the required total metals analysis (Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Copper, Lead, Mercury, Molybdenum, Nickel, Selenium, Silver, Thallium, Zinc, and EPD added Al), but also included some TCLP and organics analysis when we landfill our sludge during incinerator shutdown.
- 4. Semi-Annual Ash monitoring for all priority pollutants.
- 5. Annual Grits & Screening for all priority pollutants.
- 6. Increased Class II Industrial sampling during permit renewals above what is required in the approved IPP.
- 7. Continued Effluent monitoring on a monthly basis. As of 2015, EPD has been monitoring the effluent twice a month for grab samples for Copper, Total Phosphorous due to the fact that those parameters are a requirement in our current NPDES permit. In 2019 EPD started sampling the influent and effluent for T. Nitrogen, TKN, Nitrite, Nitrate and PFAS.
- 8. Sampling of Intermunicipal Agreement communities (Bedford, Goffstown and Londonderry) for Local Limits metals of concern (Ag, Al, Cu, Pb, Hg, Zn and Total phosphorous). Due to EPA Interim Mercury Control Plan, EPD has been sampling the Towns on a monthly basis for mercury.
- 9. A requirement of the Town of Londonderry is to check their discharges for excessive metals, organics, sulfides and other inorganics.
- 10. The City shall comply with the Interim Mercury Control Plan instituted by EPA under the air emissions requirements. Below are control measures to assist in the investigation of mercury in our emissions.
  - a. Manchester currently maintains a sludge-monitoring program that satisfies State and Federal requirements. This program includes evaluation of new industrial customers prior to receiving their wastewater, ongoing periodic and routine monitoring of customer wastewater and

monthly sampling of sludge feed to the Fluidized Bed Incinerator (FBI) as required by 40 CFR Part 503. All of the monitoring and sampling components of this program include mercury in their analyses.

- b. The IPP program to continue to evaluate (a) the self-monitoring reports submitted by all facilities discharging to the WWTP under a municipal Industrial Discharge Permit (each hereinafter an Industrial Permittee), and (b) the results of annual Industrial Permittee wastewater sampling performed by Manchester, to determine the facilities that have the highest mercury content of wastewater by weight discharged to the WWTP for the past three years (Industrial Permittee wastewater is sampled at least three times per year, twice per year for the self-monitoring reports and once per year by Manchester).
- c. On October 2018, EPD sent out to all Class I Industrial Permittee's letters requesting their assistance in reducing mercury in their wastewater discharges.
- d. Collect wastewater samples from the existing metering stations at the three towns that have Intermunicipal Agreements with Manchester (Bedford, Goffstown, and Londonderry) on a monthly basis, rather than the previous quarterly basis. This is to evaluate the Towns' mercury content of the wastewater by weight discharged to the WWTP. These results will determine whether a town exceeded its limit for mercury.
- e. In the event that the increased wastewater sampling identifies a mercury exceedance by a Town, Manchester will send an outreach letter to the Town's Department of Public Works asking for their assistance in reducing mercury in its wastewater discharge and scheduled a meeting with the Town to discuss how best to address the exceedance.
- f. The IPP program has increase dental office inspections under the Industrial Pretreatment Program's Dental Amalgam Program from every two years to every year. Currently EPD has started another round of inspections and predicts that by mid-September all inspections will be completed.

#### Information Required By EPA

#### Section Nine Reduction Efforts for SNC SIUs

The City of Manchester, EPD continues to be diligent in notifying each industry of potential late sampling and reporting requirements as outlined in their permits. The industrial sampling, both City unannounced and industrial self-monitoring indicate that all permitted Class I CIUs/SIUs are discharging within their categorical and/or headworks loading concentrations.

The City of Manchester, EPD is continuing to take a proactive approach in investigating potential industries. We conduct an initial walk through, gather flow information (water consumption) with the City's billing department of potential industries, and log them into the database.

EPD joined the City of Manchester's Local Emergency Planning Committee (LEPC). Unfortunately due to continued logistical issues there has not been any recent activity. The City has hired a new Emergency Management Coordinator and EPD did reach out to establish our involvement.

#### Information Required By EPA

#### Section Ten Local Limits Adoption

The local limits are current and technically based. The EPA accepted the limits with notification to the City of Manchester on March 18, 1997. The City formerly adopted the limits within the Sewer Use Ordinance on August 5, 1997.

The City of Manchester's NPDES permit became effective May 1, 2015. A requirement was to submit, within 180 days of the effective date of the permit November 8, 2015, a "Reassessment of Technically Based Local Limits."

On October 26, 2015 EPD submitted to EPA its Reassessment of the Technically Based Local Limits. The City believes that the information confirms that Manchester's present Local Limits Headwork's Allocation is sound, conservative and protective of the wastewater treatment operations. The new discharge permit requires monthly monitoring of effluent copper with an average monthly limit of 24 ug/l. We have a chronic toxicity-reporting requirement of >8.5% for NOEC and an acute toxicity requirement of an LC50 of >100%.

EPD is anticipating another review of the technically based local limits during the upcoming year when the new permit will be reviewed and issued in 2020.